# **AQUAMAX®LARGEMOUTH**

FOR FISH

# CAUTION: USE ONLY AS DIRECTED GUARANTEED ANALYSIS

Crude Protein (MIN)	45.0000 %
Crude Fat (MIN)	10.0000 %
Crude Fiber (MAX)	3.0000 %
Calcium (CA) (MIN)	1.6000 %
Calcium (CA) (MAX)	2.1000 %
	1.0000 %
	0.1000 %
	0.6000 %
	10.0000 %

### INGREDIENTS

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Wheat, Wheat Flour, Spray Dried Porcine Blood Cells, Corn Gluten Meal, Fish Oil, Ground Corn, Fish Oil (LS), Pyridoxine Hydrochloride, Choline Chloride, Lecithin, Calcium Pantothenate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, L-ascorbyl-2-polyphosphate, Riboflavin, Nicotinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE

### 5DA1-RHI-W 05 DIRECTIONS

FEED TO FISH.

## IMPORTANT

THIS PRODUCT IS TO BE FED ONLY TO THE ANIMAL SPECIES AS DIRECTED ON THIS LABEL. A FEEDING PROGRAM IS ONLY AS EFFECTIVE AS THE MANAGEMENT PRACTICES FOLLOWED.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA, FREE OF PESTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.

**IMMEDIATE** 

D



# AQUAMAX® GROWER NAB

FEED FOR TROUT, HYBRID STRIPED BASS, YELLOW PERCH, RED DRUM, CATFISH AND TILAPIA

## **CAUTION: USE ONLY AS DIRECTED**

### GUARANTEED ANALYSIS

Crude Protein (MIN)	45.0000 %
Crude Fat (MIN)	
Crude Fiber (MAX)	4.0000 %
Calcium (CA) (MIN)	
Calcium (CA) (MAX)	2.2500 %
Calcium (CA) (MAX)Phosphorus (P) (MIN)	1.3000 %
Ash (MAX)	

### INGREDIENTS

Fish Meal, Dehulled Soybean Meal, Wheat Flour, Fish Oil, Corn Gluten Meal, Fish Oil (LS), Soy Protein Concentrate, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE

5D23-RHI-S 11

### DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.

IMMEDIATE

E



# **AQUAMAX® GROWER 500**

FEED FOR TROUT, HYBRID STRIPED BASS, YELLOW PERCH, RED DRUM, CATFISH AND TILAPIA

## **CAUTION: USE ONLY AS DIRECTED**

### **GUARANTEED ANALYSIS**

Crude Protein (MIN)	41.0000 %
Crude Fat (MIN)	12.0000 %
Crude Fiber (MAX)	
Calcium (CA) (MIN)	1.6500 %
Calcium (CA) (MAX)	2.1500 %
Phosphorus (P) (MIN)	1.1000 %
Sodium (NA) (MIN)	
Sodium (NA) (MAX)	
Ash (MAX)	

### INGREDIENTS

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Ground Wheat, Soybean Oil, Spray Dried Porcine Blood Cells, Fish Oil, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, DL-Methionine, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, Vitamin E Supplement, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

### RUMINANT MEAT AND BONE MEAL FREE 5D05-RHI-W 21 DIRECTIONS

Feed to fish. See bag for species specific feeding directions.

### CAUTION

Store in a dry, well ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, abortion or death.





PMI NUTRITION INTL., LLC.
P.O. BOX 19798, BRENTWOOD, MO 63144
Net Weight 50 lb (22.67 kg)

# AQUAMAX® CUSTOM 41/12 1/8"

FFFD FOR FISH

CAUTION: USE ONLY AS DIRECTED
GUARANTEED ANALYSIS

Crude Protein (MIN)	41.0000 %
Crude Fat (MIN)	
Crude Fiber (MÁX)	4.0000 %
Calcium (CA) (MIN)	1.6000 %
Calcium (CA) (MAX)	2.1000 %
Phosphorus (P) (MIN)	
Sodium (NA) (MIN)	
Sodium (NA) (MAX)	

## **INGREDIENTS**

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Fish Oil, Spray Dried Porcine Blood Cells, Ground Wheat, Pyridoxine Hydrochloride, Lecithin, DL-Methionine, Choline Chloride, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Gobalt Carbonate.

### RUMINANT MEAT AND BONE MEAL FREE

5D2N-RHI-S 03

### DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA PROTECTED FROM RODENTS AND INSECTS. DO NOT FEED MOLDY OR INSECT-INFESTED FEED TO ANIMALS AS IT MAY CAUSE ILLNESS, ABORTION OR DEATH.





# AQUAMAX® CUSTOM 41/12 3/16"

FFFD FOR FISH

CAUTION: USE ONLY AS DIRECTED

OUAINAIT LED AITAE I OIG	
Crude Protein (MIN)	41.0000 %
Crude Fat (MIN)	
Crude Fiber (MAX)	4.0000 %
Calcium (CA) (MIN)	1.6000 %
Calcium (CA) (MAX)	2.1000 %
Phosphorus (P) (MIN)	
Sodium (NA) (MIN)	0.1000 %
Sodium (NA) (MAX)	

## **INGREDIENTS**

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Fish Oil, Spray Dried Porcine Blood Cells, Ground Wheat, Pyridoxine Hydrochloride, Lecithin, DL-Methionine, Choline Chloride, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotlinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Gobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE

5D2L-RHI-S 03

### DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA PROTECTED FROM RODENTS AND INSECTS. DO NOT FEED MOLDY OR INSECT-INFESTED FEED TO ANIMALS AS IT MAY CAUSE ILLNESS, ABORTION OR DEATH.





# AQUAMAX®GROWER 5/8"

FEED FOR HYBRID STRIPED BASS AND TROUT

### CAUTION: USE ONLY AS DIRECTED GUARANTEED ANALYSIS

41.0000 %

### INGREDIENTS

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Ground Wheat, Fish Oil, Spray Dried Porcine Blood Cells, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, DL-Methionine, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE

### 5D1D-RHI-S 20 DIRECTIONS

FEED TO FISH. DO NOT OVERFEED.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA PROTECTED FROM RODENTS AND INSECTS. DO NOT FEED MOLDY OR INSECT-INFESTED FEED TO ANIMALS AS IT MAY CAUSE ILLNESS. ABORTION OR DEATH.

E



# **AQUAMAX® POND PLUS 3000**

FEED TO OMNIVORUS FISH SUCH AS TALAPIA AND CATFISH

### CAUTION: USE ONLY AS DIRECTED GUARANTEED ANALYSIS

Crude Protein (MIN)	32.0000 %
	5.0000 %
	5.0000 %
Calcium (CA) (MIN)	0.8000 %
Calcium (CA) (MAX)	1.3000 %
Sodium (NA) (MIN)	0.1000 %
Sodium (NA) (MAX)	0.3000 %
Ash (MAX)	8.0000 %

## INGREDIENTS

Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Fish Meal, Porcine Meat Meal, Porcine Animal Fat Preserved with BHA, DL-Methionine, Pyridoxine Hydrochloride, Choline Chloride, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Folic Acid, Cholecalciferol, Calcium Pantothenate, Thiamine Mononitrate, Riboflavin, DL-Alpha Tocopheryl Acetate, Biotin, Ethoxyquin (a Preservative), Vitamin A Acetate, Nicotinic Acid, Vitamin B-12 Supplement, Zinc Oxide, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate, Sodium Selenite.

### RUMINANT MEAT AND BONE MEAL FREE 5D08-RHI-W 06 DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

## CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.





# AQUAMAX FRY POWDER (W) RHI

NET WEIGHT SHOWN ON BAG AND/OR INVOICE 5D00

R

AQUAMAX FRY POWDER (W)

RHI

FEED FOR FISH

CAUTION: USE ONLY AS DIRECTED

# **GUARANTEED ANALYSIS**

Crude Protein	(MIN)	50.0000%
Crude Fat	(MIN)	17.0000%
Crude Fiber	(MAX)	3.0000%
Calcium	(CA) (MIN)	2.0000%
Calcium	(CA) (MAX)	2.5000%
Phosphorus	(P) (MIN)	1.2500%
Sodium	(NA) (MIN)	0.0500%
Sodium	(NA) (MAX)	0.5000%
Ash	(MAX)	12.0000%

# **INGREDIENTS**

Fish Meal, Wheat Flour, Spray Dried Porcine Blood Cells, Fish Oil, Fish Oil (LS), Brewers Dried Yeast, Betaine, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, L-ascorbyl-2-polyphosphate, DL-Methionine, Calcium Pantothenate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

RUMINANT MEAT AND BONE MEAL FREE

11RHI W 5D00

PMI NUTRITION INT'L., LLC. P.O. BOX 19798 BRENTWOOD MO 63144

# **DIRECTIONS**

FEED AS A COMPLETE RATION TO STARTING FISH (TROUT, YELLOW PERCH), CATFISH AND TILAPIA. START FEEDING FRY AS SOON AS SWIM UP STARTS SEE BAG FOR TABLES WITH FEEDING DIRECTIONS FOR EACH FISH SPECIES. CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.

UPC 0727613601140 E1 CODE 0007684 5D00 REGROUND 50 Lb. 149

# **AQUAMAX® FINGERLING 300**

FEED FOR TROUT, STRIPED BASS, YELLOW PERCH, RED DRUM, CATFISH AND TILAPIA

### CAUTION: USE ONLY AS DIRECTED GUARANTEED ANALYSIS

Crude Protein (MIN)	50.0000 %
	16.0000 %
	3.0000 %
	2.0000 %
	2.5000 %
	1.3000 %
	0.1000 %
Sodium (NA) (MAX)	0.5000 %
	12.0000 %

### INGREDIENTS

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Corn, Spray Dried Porcine Blood Cells, Fish Oil, (LS), Corn Gluten Meal, DL-Methionine, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Gobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE

5D03-RHI-W 11

## DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECTINFESTED FEFD.





# AQUAMAX® FRY STARTER 200

FFFD FOR FISH

CAUTION: USE ONLY AS DIRECTED
GUARANTEED ANALYSIS

Crude Protein (MIN)	50.0000 %
Crude Fat (MIN)	17.0000 %
Crude Fiber (MÁX)	3.0000 %
Calcium (CA) (MIN)	2.0000 %
Calcium (CA) (MAX)	2.5000 %
Phosphorus (P) (MIN)	1.2500 %
Sodium (NA) (MIN)	0.1000 %
Sodium (NA) (MAX)	
Ash (MAX)	12.0000 %

#### INGREDIENTS

Fish Meal, Wheat Flour, Spray Dried Porcine Blood Cells, Fish Oil, Fish Oil (LS), Brewers Dried Yeast, Betaine, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, DL-Methionine, L-ascorbyl-2-polyphosphate, Calcium Pantothenate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, DL-Alpha Tocopheryl Acetate, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE 5D02-RHI-W 09

DIRECTIONS

FEED AS A COMPLETE RATION TO STARTING FISH. SEE BAG FOR SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.





# AQUAMAX® DENSE 4000

FEED TO OMNIVORUS FISH SUCH AS TALAPIA AND CATFISH

## CAUTION: USE ONLY AS DIRECTED GUARANTEED ANALYSIS

Crude Protein (MIN)	36.0000 %
Crude Fat (MIN)	
Crude Fiber (MAX)	5.0000 %
Calcium (CA) (MIN)	0.8000 %
Calcium (CA) (MAX)	1.3000 %
Phosphorus (P) (MIN)	
Sodium (NA) (MIN)	
Sodium (NA) (MAX)	

## **INGREDIENTS**

Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Fish Meal, Porcine Meat Meal, Porcine Animal Fat Preserved with BHA, Poultry By-Product Meal, Brewers Dried Yeast, DL-Methionine, Pyridoxine Hydrochloride, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Folic Acid, Cholecalciferol, Calcium Pantothenate, Thiamine Mononitrate, Riboflavin, DL-Alpha Tocopheryl Acetate, Biotin, Ethoxyquin (a Preservative), Vitamin A Acetate, Nicotinic Acid, Choline Chloride, Vitamin B-12 Supplement, Zinc Oxide, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate, Sodium Selenite.

### RUMINANT MEAT AND BONE MEAL FREE 5D09-RHI-W 06 DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

## CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED. BULK - 0017144





PMI NUTRITION INT'L., LLC.
P.O. BOX 19798, BRENTWOOD, MO 63144-6812
Net Weight 50 lb (22.67 kg)

# **AQUAMAX®POND 2000**

FFFD FOR FISH

CAUTION: USE ONLY AS DIRECTED GUARANTEED ANALYSIS

Crude Protein (MIN)	32.0000 %
Crude Fat (MIN)	3.0000 %
	5.0000 %
	0.7500 %
	1.2500 %
	0.6500 %
	0.1000 %
Sodium (NA) (MAX)	0.3000 %

### INGREDIENTS

Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Fish Meal, Porcine Meat Meal, Porcine Animal Fat Preserved with BHA, Ground Oats, Dehydrated Alfalfa Meal, Ground Wheat, Ground Soybean Hulls, Pyridoxine Hydrochloride, Cane Molasses, Dried Beet Pulp, Wheat Germ, Dicalcium Phosphate, L-ascorbyl-2-polyphosphate, Corn Gluten Meal, Calcium Carbonate, Menadione Sodium Bisulfite Complex, DL-Methionine, Salt, Folic Acid, Cholecalciferol, Thiamine Mononitrate, Soybean Oil, Riboflavin, DL-Alpha Tocopheryl Acetate, Calcium Pantothenate, Biotin, Ethoxyquin (a Preservative), Nicotinic Acid, Vitamin A Acetate, Choline Chloride, Vitamin B-12 Supplement, Zinc Oxide, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium lodate, Cobalt Carbonate, Sodium Selenite.

RUMINANT MEAT AND BONE MEAL FREE

5D07-RHI-W 05

### DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.

E



PMI NUTRITION INT'L., LLC.
P.O. BOX 19798, BRENTWOOD, MO 63144-6812
Net Weight 50 lb (22.67 kg)

# **AQUAMAX® GROWER 600**

FEED FOR TROUT, HYBRID STRIPED BASS, YELLOW PERCH, RED DRUM, CATFISH AND TILAPIA

## **CAUTION: USE ONLY AS DIRECTED**

## **GUARANTEED ANALYSIS**

Crude Protein (MIN)	41.0000	%
	12.0000	
	4.0000	
Calcium (CA) (MIN)	1.6500	%
	2.1500	
	1.1000	
	0.1000	
	0.4000	

### INGREDIENTS

Fish Meal, Poultry By-Product Meal, Dehulled Soybean Meal, Ground Corn, Wheat Middlings, Ground Wheat, Soybean Oil, Spray Dried Porcine Blood Cells, Fish Oil, Pyridoxine Hydrochloride, Lecithin, Choline Chloride, DL-Methionine, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Biotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, Vitamin E Supplement, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

## RUMINANT MEAT AND BONE MEAL FREE 5D06-RHI-W 07 DIRECTIONS

FEED TO FISH. SEE BAG FOR SPECIES SPECIFIC FEEDING DIRECTIONS.

### CAUTION

STORE IN A DRY, WELL VENTILATED AREA FREE FROM RODENTS AND INSECTS. DO NOT USE MOLDY OR INSECT-INFESTED FEED.

FOLLOW LABEL DIRECTIONS: FEEDING ADDED SELENIUM AT LEVELS IN EXCESS OF 0.3 PPM IN THE TOTAL DIET IS PROHIBITED.



# AQUAMAX® GROWER 400

FEED FOR TROUT, HYBRID STRIPED BASS, YELLOW PERCH, RED DRUM, CATFISH AND TILAPIA

## **CAUTION: USE ONLY AS DIRECTED**

### GUARANTEED ANALYSIS

Crude Protein (MIN)	45.0000 %
Crude Fat (MIN)	
Crude Fiber (MAX)	
Calcium (CA) (MIN)	
Calcium (CA) (MAX)	
Phosphorus (P) (MIN)	
Sodium (NA) (MIN)	
Sodium (NA) (MAX)	
Ash (MAX)	

### INGREDIENTS

Fish Meal, Dehulled Soybean Meal, Poultry By-Product Meal, Ground Wheat, Wheat Flour, Fish Oil, Spray Dried Porcine Blood Cells, Soybean Oil, Corn Gluten Meal, Pyridoxine Hydrochloride, Lecithin, DL-Methionine, Choline Chloride, Brewers Dried Yeast, Calcium Pantothenate, L-ascorbyl-2-polyphosphate, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Blotin, Folic Acid, Cholecalciferol, Riboflavin, Nicotinic Acid, Vitamin E Supplement, Vitamin A Acetate, Ethoxyquin (a Preservative), Zinc Oxide, Vitamin B-12 Supplement, Manganous Oxide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Calcium Carbonate, Cobalt Carbonate.

### RUMINANT MEAT AND BONE MEAL FREE 5D04-RHI-W 10 DIRECTIONS

Feed to fish. See bag for species specific feeding directions.

### CAUTION

Store in a dry, well ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, abortion or death.





PMI NUTRITION INTL., LLC.
P.O. BOX 19798, BRENTWOOD, MO 63144
Net Weight 50 lb (22.67 kg)